

Fig. 1




Fig. 2

RULE NO.	SOURCE HOST	DEST. HOST	SERVICE	ACTION
10	A	B	FTP	pass
20	A	*	*	drop
30	B	C	telnet	proxy
40	*	D	mail	pass

Fig. 3

SESSION KEY	HARDWARE ADDRESS	INTERFACE	RULE NO.	ALARM CODE	STAT. INFO.	ACTION
A,B,telnet	Ma, Mb	en0, en1	10	10	5 pkts.	pass
B,A,telnet	Mb, Ma	en1, en0	10	10	5 pkts.	pass
C,A,mail	Mc, Ma	en1, en0	30	20	100 pkts.	pass
A,C,mail	Ma, Mc	en0, en1	30	20	10 pkts.	pass
D,A,telnet	Md, Ma	en1, en0	40	30	15 pkts.	drop
E,A,mail	Me, Ma	en1, en0	30	10	30 pkts.	pass
A,E,mail	Ma, Me	en0, en1	30	10	10 pkts.	pass

Fig. 4

08927382, 091297

08927382-091297




FIG. 5A

08927382.091297




FIG. 5B

INTERFACE	ADDRESS RANGE	DOMAIN
0	10.50.0.0 - 10.50.255.255	A
0	10.60.0.0 - 10.60.255.255	B
1	*	C
2	*	*

Fig. 6




FIG. 7

NAME	SOURCE HOST	DEST. HOST	SERVICE	ACTION	HIT COUNT
traceroute	^	*	traceroute	pass	1
pptp	.	.	tcp/1723	pass	1
telnet	A	B	telnet	drop	10
realaudio	^	*	tcp/7070	pass	1

Fig. 8

08927382-091297




Fig. 9




FIG. 10A




Fig. 10B